





The ultimate combination of quality and design

In developing its façade cladding, Renson[®] paid a lot of attention to design, personalisation and quality of finishing.

You create your façade cladding according to your own taste. Horizontal or vertical, they can be integrated into a wide variety of styles: from classic to modern to contemporary. This is how you create a unique, stylish, elegant, and contemporary look for your home or business.

Garage gates and doors integrate smoothly into one tight façade surface. Functional elements such as intercom or doorbell are seamlessly integrated. Thanks to the individual profiles, you can even finish curved façades and the high-quality finishing makes them suitable for interior applications as well.

Of course, a simple and flexible installation was paramount. Invisible fixations provide a sleek design and allow thermal expansion at the same time.

Renson[®] stands for sustainability, and this aluminium façade cladding is no exception. It is not only durable, but also resistant to all weather conditions. Lightweight yet strong... and, above all, extremely easy to maintain.

| INTRO | 7 | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------|--|
| WHY CHOOSE RENSON [®] ? FAÇADE, OUTDOOR, INTERIOR HORIZONTAL LINIUS [®] RANGE VERTICAL LINARTE [®] RANGE | 7 11 14 15 | |
| LINIUS® L.033 LINIUS® SYSTEM | 16 21 25 | |
| LINARTE® | 28 | |
| LINARTE® BLOCK 16 LINARTE® BLOCK 30 LINARTE® EVEN LINARTE® CONE LINARTE® MIX | 31 33 35 37 39 | |
| LINARTE® SYSTEM DIRECT FIXATION CLASSIC (CLS/SLS) WOOD OR LED MODULES INSERT INDIRECT LIGHTING SEMI-OPEN CLADDING FINISHING PROFILES SEAMLESS INTEGRATION | 42 42 43 44 45 49 50 51 | |
| LINARTE® GARDEN ELEMENTS TECHNICAL INFO | 52 57 | |
| | | |
| | | |
| State of the state | | |







Why choose Renson[®] façade cladding?

Looking for an extra touch to your home, shop or company building? With Linius and Linarte façade cladding you are guaranteed to impress. Horizontal or vertical, in any colour, for both inside and outside and even as a seamless finish for curved façades or over corners. Thanks to the invisible fixings, you can be sure of an excellent result.

Endlessly personalisable

A subtle design or clear statement: get creative with the possibilities for personalising your façade with different infills in wood or LED lighting, or by combining colours or integrating your house number. Outdoor sockets, intercom, letterbox or outdoor tap are subtly incorporated.

Easy to install

Aluminium profiles are light and easy to work with. Thanks to the patented fastening system, they can be fastened to the supports quickly and without screws. This invisible clip system is also width-adjustable and easily replaceable, so there are a lot of advantages to be gained even during the installation.

Sustainable quality

By surface mounting with the aluminium profiles you can sure of a durable and sturdy façade cladding, which can withstand the most extreme weather conditions. Moreover, aluminium façade cladding is also an environmentally-friendly choice, because aluminium has earned a reputation as a 'green metal' thanks to its 100% and infinite recyclability.

Maintenance-friendly

Aluminium façade cladding requires virtually no maintenance. The powder-coated profiles retain their colour in all conditions and are easy to clean.



THANKS TO EASY CLICK SYSTEM, THE POSSIBILITIES ARE LIMITLESS INTRO

RENSON



FAÇADE, OUTDOOR, INTERIOR

Beautiful façade cladding

Linius or Linarte give an extra accent to an outer façade and can be perfectly combined with other materials for a unique look and feel that can also be extended into the interior (see below). Looking for a unique façade? Let your creativity run free with Linarte wood or LED module inserts.

Total outdoor concept: the same look and feel

If you're searching for aesthetic uniformity, you can even extend the façade cladding all the way to your terrace. One or multiple sides can be closed off in the same finishing under a terrace covering. Garden elements with the Linarte finishing complete the entirety. One style for all of your home and garden... it guarantees a sleek and uniform look.

Unique interior

The Renson[®] aluminium façade cladding can be used both inside and outside to give an extra touch to a wall. You can even let both seamlessly merge with each other. The high-quality materials make it perfectly possible to use, e.g. Linarte profiles to clad a stairwell. INTRO

RENSON 11








HORIZONTAL CLADDING LINIUS®

Linius[®] L.033



VERTICAL CLADDING LINARTE®




The Linius system can be used to finish façades or façade components into a sleek whole with a pronounced horizontal accent. Gates and doors can also be covered with the same profiles. This is how you get a close fit with the rest of the façade to achieve a uniform whole. The façade system consists of individual aluminium profiles that are available in different versions. Depending on the application, you can choose between fully closed or ventilated systems.

1










LINIUS® L.033

The Z-shaped Linius L.033 profiles are 20 mm deep. They give your façade a strong horizontal accent, sober and refined, with or without ventilation.











LINIUS[®] SYSTEM







With the Linarte profiles, façades or façade components can be finished to create a sleek whole with vertical profiles in different designs for both inside and outside, right down to under the patio covers. Gates and doors can also be covered with the same profiles to create a seamless and uniform façade. The continuous façade system consists of individual aluminium profiles that are available in different versions and can be endlessly customised with wood or LED module inserts.








LINARTE® BLOCK 16

The basic version of the Linarte BLOCK-shaped aluminium profile is 16 mm deep. This limited depth creates a subtle vertical play of lines with limited relief and a minimalistic look.









120




LINARTE® BLOCK 30


The BLOCK-shaped Linarte profile with a depth of 30 mm creates a strong vertical line pattern. This provides striking shadow effects that bring a façade to life. These deep BLOCK profiles can be combined with wood or LED module inserts.



BLOCK 30










LINARTE® EVEN

The rib-shaped EVEN profile that is 25 mm deep provides the sleekest Linarte result and emphasises the façade's vertical lines to the utmost. These profiles can also be combined with inserts in wood or LED modules.









LINARTE® CONE

CONE is the cone-shaped version of Linarte. These aluminum profiles are 25 mm deep and 60 mm wide and fit perfectly into the current trend of aluminum windows that imitate the authentic design of classic steel windows. The Linarte CONE profiles can be combined with infills in wood or LED modules.



CONE








LINARTE® MIX

BLOCK or EVEN, all Linarte profiles can be combined. Let your creativity run free, create a unique play of shadow and light, and combine your façade with a personal character to your heart's content.









62

1000 **林島軍御**嶋

<u>赵公瑾的</u>。

12 IS 31


-

2



DIRECT FIXATION SYSTEM

With the patented fixation system, the support profiles can be directly affixed to the substructure. Compared to the traditional system using a wooden support structure, this method is more advantageous because of the lower material cost and quicker installation time. Thanks to the direct fixation, there are fewer thermal bridges, the total system depth is smaller, and you have a more sustainable solution.





3 Perforated mullion

(4) Supporting profile




ofiles (8) Supporting brackets

Spacer screws and anchor plug

42

CLASSIC SYSTEM (CLS/SLS)





5 Clips


6 Linarte profiles O Supporting brackets

WOOD OR LED MODULES INSERTS


Wood or LED modules can be incorporated into both the 30 mm deep BLOCK and the EVEN profiles. These inserts are available in various lengths and can be integrated anywhere in the façade: randomly, in a sleek line, or repetitively. It gives you 1,001 possibilities to finish to taste. With the EVEN profiles, it is even possible to integrate wooden house numbers.

INDIRECT LIGHTING

A LED module can be integrated at the bottom of the façade. This accent lighting adds extra cache to your façade.











SEMI-OPEN CLADDING

You can let the vertical Linarte lines run in front of an opening or a window in a façade. This way, the window disappears into the façade, the entering light is filtered, which creates an intimate atmosphere.



| | | | | | | | | 1 | | | | - | | | | - | | | | | |
|------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|------|--------------|-----------------|---|--------|--|--|---|--|--|--------|---|--|------------|-------|-----|---------|
| 600 | 111 | | | | | | | | | | | | | | | | | | | | |
| Carlos - | No action | I I STREET | State of Land | 801.000 | | Transfer II. | | | | | | | | | | | | | | | |
| 10 - 10 - 10 | 1 200 M | | | | | | | | | | | | | | | | | | | | LINARTE |
| | | | 8 | | | | | | | | | | | | | | | | | | |
| NICK WORKS | | | | | | | | | | | | | | | 11 × 1 | | | | | | |
| | Item Income | NAME OF TAXABLE PARTY. | A REPORT OF A REAL PROPERTY OF A | | | | | | | | | | | | | | | | | | |
| ALC: NORTHERN ST | A VALUE AND A VALUE AND A | THE REPORT OF TH | A NUMBER OF CONTRACTOR OF | NAMES OF TAXABLE PARTY. | | | a second second | | | | | | | | | | | | | | |
| N PARAMANANA I | THE REPORT OF THE PARTY OF THE | ALC: NAME AND ADDRESS OF | S.V. BORNES | DIMINISTRUM CARDIN | | | | | | | | | | | | | | | | | |
| | C UNIVERSITY | E ANNA | CUMPER . | 1000 | 1000 | | L DIN | | E he l | | | | | | | | | ₽ F | RENSC | DN° | 49 |

FINISHING PROFILES

Thanks to the finishing profile for the window reveal, it is possible to finish the doors and garage down to the smallest detail.



Door finish



Window finish

SEAMLESS INTEGRATION

Push & pull, intercom, power socket, or water faucet can be perfectly integrated into the façade cladding using the specially developed module. A Niko intercom or power socket can be installed in the housing. Moreover, modules with a blind plate allow other techniques to be integrated.



Faucet integration



Power socket integration



Door handle integration



Videophone integration

GARDEN ELEMENTS LINARTE® MODULO

Create a uniform bench and planter in Linarte. Available in square (type '55') and rectangular (type '97') models. Several benches and planters can be combined into a single longer unit ('combination' type).

GARDEN ELEMENTS LINARTE® OUTDOOR LIGHTING

Create uniform LED lighting using the Linarte EVEN design. Available in two heights and four different versions: with one or two LEDs, with or without a power socket.

BONFEE

110

1 hill all and

LINARTE

GARDEN ELEM





With the Linarte Icon, you can add partitions or privacy walls in your garden and create a unique and uniform outdoor look. The Linarte Icon is an architectural wall customised to your specifications (both in terms of length and height) where one side is clad with Linarte profiles and the other side can be optionally clad with Linarte profiles or finished with a taut Canvas fabric.

RENSON° 55



HNICAL INFO

RENSON 57

ALC: NOT

ALL RAL COLOURS

Both Linius and Linarte profiles are available in all RAL colours. Renson[®] textured coating for an architectural contemporary look. In addition, finishing with textured coatings is more suitable for outdoor use and is much better at hiding any scratches.





OUR TECHNOLOGIES

Renson[®] has developed a special, patented mechanism for sectional doors that ensures that fingers do not get trapped. When a finger accidentally comes between two sections of the gate, the aluminium profile turns away. Once the finger is removed, the profile returns to its original position on its own.



Linius[®] finger-trapping protection system



Linarte® profile for door sensor mounting

Linarte® click system

The Linarte profiles are invisibly affixed to patented plastic clips. This means that the profiles can be quickly assembled and thermal expansion is always counterbalanced.



Linarte® direct fixation

The mullions can be directly anchored in the outside wall using patented anchor plugs that connect the spacer screws to the carrier. This saves you the costs and installation time in comparison with working with traditional rafters. Moreover, this method is much more sustainable with a minimal number of thermal bridges.



GUARANTEE

High quality

All of the materials we use are of high quality and have been modified for the intended purpose. As the manufacturer, we guarantee:

- 5-year warranty covering all defects arising from normal use and maintenance.
- 10-year colour fastness warranty covering the powder-coating of the aluminium components.
- 5-year warranty covering the gloss of the lacquered profiles.
- 2-year warranty on the LED modules.





reddot design award winner 2018

MAINTENANCE

Your façade cladding is subjected to every possible kind of weather. This is why we recommend regular maintenance to be able to enjoy it for years to come. Your façade cladding will last longer and it will maintain its original gloss when you ensure it is serviced 1 to 2 times a year. The Renson[®] Maintenance Set will help you in this regard.

- The Linius and Linarte profiles consist of powder-coated aluminium. An annual cleaning using products from the Renson Maintenance Set is recommended to ensure the intense colour is maintained for years to come, as well as providing extra protection from acid rain, sea air, and UV rays. We recommend the cleaning takes place twice a year in coastal and wooded areas.
- Renson[®] Clean is a concentrated product with strong cleaning and degreasing properties for managing the most common types of natural dirt, such as dust, oily rainfall, grease stains, moss, insect spores and so on. This product is not comparable with other cleaning products. After rain, you can protect the aluminium profiles with Renson[®] Protect. This product adds a protective film that makes subsequent maintenance much easier. From now on, you can simply wipe the aluminium clean using a minimum of the Renson[®] Clean product.
- Do not use either product in direct sunlight or hot weather. If it dries quickly, it can leave stains on the aluminium. Do not use corrosive or aggressive products, scouring pads, or other abrasives to clean the aluminium façade cladding. Never do this with a high-pressure device.
- A maintenance kit is also available for the wooden inserts.





EXIT 5 is open Monday to Friday: 8.30 a.m. - 12 p.m and 1.30 p.m - 6 p.m. Saturday: 9 a.m. - 12 p.m.

Make an appointment by phone on 056 62 96 87 or online via www.exit5.be

Maalbeekstraat 10 - 8790 Waregem - Belgium www.exit5.be

NEW YORK SHOWROOM - USA

Ernest NY • 255 5th Avenue • 6th Floor • NY 10016 +1 310 658 4878 • www.ernestny.com

ERNEST



SHANGAI SHOWROOM - CHINA

No 33, Lane 672, Changle Rd Jingan District Shanghai, China Tel: +86 21 6418 2566





WHO DO I CONTACT FOR RENSON® PRODUCTS?

In order to guarantee that our high-quality and durable screens are also installed professionally, we have built up a network of well-trained Ambassadors and Installers.

RENSON® PREMIUM AMBASSADORS

These are ambassadors with years of experience selling and installing Renson[®] products. They stay updated on the whole range and guarantee the utmost professional assistance.

RENSON® AMBASSADORS demonstrate our products in their showrooms and ensure that everything is placed in a professional and sound manner. They also guarantee a professional after-sales service.

Also see www.renson.net





All photos shown are solely for illustration purposes and are a snapshot of the usage situation. The actual product may vary due to adjustments to the product. Renson^{*} reserves the right to make technical changes to the products shown. The most recent brochures are available for download at **www.renson.net**







RENSON[®] Headquarters Maalbeekstraat 10, IZ 2 Vijverdam B-8790 Waregem Tel. +32 56 30 30 00 info@renson.eu www.renson.net

f y 🛛 🤊 🛗 in

мιх

apler van

FSC^e C008551

RENSON

√╻╴

FSC





3/23 English